



NOTE:
 1. CONTRACTOR TO PROVIDE A MINIMUM OF 1.5' OF CLEARANCE BETWEEN EXISTING AND PROPOSED SANITARY SEWER AND STORM SEWER COLLECTION SYSTEM.
 2. CONTRACTOR TO PROVIDE A MINIMUM OF TWELVE (12) INCHES OF CLEARANCE BETWEEN STORM SEWER PIPE AND SANITARY SEWER SERVICE LATERALS DEEP OUT LATERALS AND LATERAL RISERS TO BE USED WHERE NECESSARY.

SCALE: 1" = 50' HORIZ.
 1" = 5' VERT.

EASEMENT PROFILES	
REGENCY AT PROVIDENCE (a.k.a. FOCELT TRACT)	
UPPER PROVIDENCE TOWNSHIP, PENNSYLVANIA	
NO.:	SD07.17
PROJECT:	36 OF 78

REV.	DATE	DESCRIPTION	DRAWN
5	1/31/05	FINAL CONSTRUCTION DRAWINGS	MDD
4	11/22/04	REVIEW LETTER 9/28/04; RDS. A, B, D COMM CTR	MDD
3	8/04/04	AGENCY REVIEW LETTER DATED 7/29/04	MDD
2	7/21/04	AGENCY REVIEW LETTERS 6/29/2004, 6/30/2004	MDD
1	6/07/04	AGENCY REVIEW LETTERS, TOWNSHIP COMMENTS	PAB

ESE EASTERN STATES ENGINEERING
 250 GIBRALTAR ROAD SUITE 2E HORSHAM, PA 19044
 TEL: (215) 914-2050 FAX: (215) 293-5488
 CIVIL ENGINEERS - LAND SURVEYORS - LANDSCAPE ARCHITECTS - LAND PLANNERS

