



NOTE:  
 1. CONTRACTOR TO PROVIDE A MINIMUM OF 1.5' OF CLEARANCE WHERE WATERMAIN CROSSES PROPOSED SANITARY SEWER AND 2' MINIMUM OVERHEAD CLEARANCE OVER POWER LINES.  
 2. MINIMUM CLEARANCE BETWEEN STORM SEWER PIPE AND SANITARY SEWER SERVICE LATERALS DEEP CUT LATERALS AND LATERAL RISERS TO BE USED WHERE NECESSARY.

SCALE: 1" = 50' HORIZ.  
 1" = 5' VERT.

EASEMENT PROFILES  
 REGENCY AT PROVIDENCE  
 (GEL TRACT)  
 MONTGOMERY CO., PENNSYLVANIA

REV.	DATE	DESCRIPTION	DRAWN
5	1/31/05	FINAL CONSTRUCTION DRAWINGS	MDD
4	11/22/04	REVIEW LETTER 9/28/04; RDS. A, B, D COMM CTR	MDD
3	8/04/04	AGENCY REVIEW LETTER DATED 7/29/04	MDD
2	7/21/04	AGENCY REVIEW LETTERS 6/29/2004, 6/30/2004	MDD
1	6/07/04	AGENCY REVIEW LETTERS; TOWNSHIP COMMENTS	PAB

**ESE** EASTERN STATES ENGINEERING  
 CIVIL ENGINEERS - LAND SURVEYORS - LANDSCAPE ARCHITECTS - LAND PLANNERS

250 GIBRALTAR ROAD  
 SUITE 2E  
 HORSHAM, PA 19044  
 TEL: (215) 944-2050  
 FAX: (215) 293-5488

